




	Taig Kit	Taig BRONZE	Taig SILVER	Taig GOLD	Taig PLATINUM	Taig PLATINUM Jeweller
Taig Micro Lathe II	●					
Taig Micro Lathe II fully assembled		●	●	●	●	
Taig Micro Lathe II fully assembled with ER16 Headstock						●
Headstock and tailstock risers - provides a 6 inch swing					●	●
3 Jaw 3¼" diameter self-centering Scroll Chuck (steel body) with reversible aluminium soft jaws ¾-16 thread	●	●	●	●	●	●
4 Jaw 3¼" diameter independent Scroll Chuck (steel body) with reversible aluminium soft jaws ¾-16 thread					●	●
0-¼" Jacobs drill chuck commercial quality 3/8-24 thread	●	●	●	●		
0-¼" Jacobs drill chuck industrial quality 3/8-24 thread					●	●
Drilling tailstock lever operated 5/8" off set with dead center 3/8-24 thread for drill chucks	●	●	●	●	●	●
Polyurethane V-belt (established belt life of 5,000 hours) 12½" flat length	●	●	●	●	●	●
6 Step pulley for headstock spindle	●	●	●	●	●	●
Tool Post	●	●	●	●		
Quick Change Tool Post with 4 holders					●	●
Specifically designed mounting board		●	●	●	●	●
Carriage depth stop	●	●	●	●	●	●
Chuck depth stop for workpiece in chuck			●	●	●	●
Lathe dog for turning between centers			●	●	●	●
Collet set: 1/8", 5/32", 3/16", 7/32", ¼", 9/32", 5/16", 1 blank			●	●	●	
ER16 Collet 12 piece set in wooden stand						●
Full circle soft jaw set for 3 jaw chuck				●	●	●
Face plate, 3¼" diameter, ¾-16 thread mount					●	●
Face plate angle bracket set					●	●
Face plate for wood turning					●	●

	Taig Kit	Taig BRONZE	Taig SILVER	Taig GOLD	Taig PLATINUM	Taig PLATINUM Jeweller
Tool rest for wood turning					•	•
6 Piece high speed steel tool bit set: left hand, right hand, 45 degree chamfer, round nose , boring bar, cut off			•	•	•	•
Cut Off Blade 0.040 x 1/2 inch HSS					•	•
Die holder for tailstock - accepts 13/16" - 1" die button dies					•	•
Slitting saw arbor turns the lathe into a very small tablesaw				•	•	•
0.032 x 2½" High speed slitting saw to match				•	•	•
Needle bearing centre spring loaded fits in tailstock will work at high speed without burning			•	•	•	•
T-Bar cut off tool height adjustable				•	•	•
Grinding wheel arbor turns the lathe into a very small bench grinder useful for sharpening of tool bits and drills				•	•	•
Grinding wheel to match				•	•	•
Steady rest					•	•
Milling attachment mounts directly on the crossslide (2 x 3¾" table) adds a third axis to the lathe (z axis)				•	•	•
Radius turner - turns ball ends on rods					•	•
Top slide mounts directly on the crossslide for cutting tapers and tapered bores in the work piece				•	•	•
"The Taig Lathe" comprehensive handbook by Tony Jeffree		•	•	•	•	•
240V DC Variable speed motor (0 to 2,400 rpm)		•	•	•	•	•
2 Step pulley for motor spindle		•	•	•	•	•
Motor mounting bracket for headstock		•	•	•	•	•
Mounting bracket spacer		•	•	•	•	•
Slimline spindle wrench for changing chucks and arbors					•	•
Calico dust cover		•	•	•	•	•